



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

1. Identification of the substance/mixture and of the company

1.1 Product identifiers

Product name : Mephedrone Test
Product number : MEPH0110
Product type: Ampoule
Brand : MMC International

1.2 Relevant identified uses of the substance or mixture

Identified uses : Presumptive substance testing

Restrictions on use: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Company : M.M.C. International B.V.
Frankenthalerstraat 16-18
4816KA Breda
The Netherlands

Telephone : +31 76-5711140
Fax : +31 76-5719300
E-mail address : Info@mmcinter.com

1.4 Emergency telephone number

Emergency Phone # : 112/911
National Poison Information Centre #: +31-30-2748888

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Specific target organ toxicity - single exposure (Category 1), H370

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Flammable. Possible risk of impaired fertility. Causes burns. Harmful in contact with skin and if swallowed.

GHS Label element

Labelling according Regulation (EC) No 1272/2008 [CLP]



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG



Hazard statement(s)

H225	Highly flammable liquid and vapour
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled
H370	Causes damage to organs.

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P311	Call a POISON CENTER or doctor/ physician.

Signal word: Warning

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.1 Mixture:

Component	CAS-No.	EC-No	Concentration
Dimethyl Sulfoxide	67-68-5	200-664-3	75-95%
Methanol	108918	200-659-6	0-10%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Remove to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen (To be administered by qualified medical personnel only!) Get medical attention.



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

In case of skin contact

Flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and seek medical advice.

In case of eye contact

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Do not allow victim to rub or keep eyes closed. Seek medical advice.

If swallowed

Wash mouth thoroughly with plenty of water and give water or milk to drink. Do not induce vomiting. (Never give anything by mouth to an unconscious person!) Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation to eyes, skin and respiratory tract. If inhaled may cause, exhaustion, shortness of breathing, loss of consciousness and asphyxiation. May cause frostbite. May cause irritation of the digestive tract. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause headache.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote, medical staff contacts Poisons Information Center. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

5. Firefighting measures

5.1 Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic fumes (carbon oxides)

5.3 Advice for firefighters

Special protective equipment for fire fighters: Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.

5.4 Further information

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ventilate area of spill. Avoid contact with skin, eyes and inhalation of vapors. Remove sources of ignition (i.e. open flames, sparks).

6.2 Environmental precautions



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

Prevent entry into waterways, sewers, basements or other confined areas.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, vermiculite) and place in container for disposal according to local/International regulations.

7. Handling and storage

7.1 Precautions for safe handling

Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Wash thoroughly after handling. Avoid all ignition sources (heat, open flame, spark). Hygiene Measures: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Keep away from oxidizing agents, acids and liquefied or compressed air and oxygen. Keep away from heat, sparks, open flame or any other ignition source. "Empty" containers may contain product residue and may be dangerous. Dispose of according to local, state, and federal regulations.

7.3 Specific end uses: N A

8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

Ingredient name	Occupational exposure limits
Methanol	260 mg/m ³

8.2 Exposure controls

Engineering Measures

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Person Protective measures

Respiratory protection: Suitable respirator. Be sure to use an approved/certified or equivalent. Wear appropriate respirator when ventilation is inadequate.

Eye/face protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

Hand protection: Wear protective disposable gloves to prevent skin exposure.



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Colorless liquid

Odor: odorless

Odor threshold: N/A

pH: N/A

Melting point/Freezing point: 16-19°C

Initial boiling point/boiling range: 64,7-189°C

Flash point: 87°C

Evaporation rate: N/A

Flammability in air: N/A

Upper/lower flammability or explosive limits: 3,5-42%

Vapor pressure: 0,55hPa at 20°C (DMSO)

Vapor density: 2,7

Relative Density (Air=1): 1,1g/ml

Solubility(ies): fully miscible with water

Partition coefficient Octanol/Water: -0,77

Auto-ignition temperature: N/A

Decomposition temperature: N/A

Viscosity: N/A

Explosive properties: N/A

Oxidizing properties: N/A

9.2 Other Information

N/A

10. Stability and reactivity

10.1 Reactivity:

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability:

Stable at room temperature in closed containers under normal storage and handling conditions.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Keep away from heat, open flame and sparks.

10.5 Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

10.6 Hazardous Decomposition products

Not available. In the event of fire: see section 5

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LDLO Oral - Human - 143 mg/kg

Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

LD50 Oral - Rat - 1.187 - 2.769 mg/kg

LC50 Inhalation - Rat - 4 h - 128,2 mg/l

LC50 Inhalation - Rat - 6 h - 87,6 mg/l

LD50 Dermal - Rabbit - 17.100 mg/kg

Irritation:

Skin - Rabbit

Result: No skin irritation

Eyes - Rabbit Result:

No eye irritation

Corrosivity:

N/A

Sensitization:

Maximisation Test (GPMT) - Guinea pig

Does not cause skin sensitisation.

(OECD Test Guideline 406)

Repeated dose toxicity:

Ames test

S. typhimurium

Result: negative

In vitro assay

fibroblast

Result: negative

Mutation in mammalian somatic cells.

Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Mouse - male and female

Result: negative

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

Mutagenicity:

N/A

Toxicity for reproduction:

Damage to fetus not classifiable

Fertility classification not possible from current data

Potential health effects:

May cause irritation to eyes, skin and respiratory tract. If inhaled may cause cyanosis, exhaustion, shortness of breathing, loss of consciousness and asphyxiation. May cause frostbite. May cause irritation of the digestive tract. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause headache.

12. Ecological information

12.1 Toxicity

Toxicity to fish

Mortality LC50 - *Lepomis macrochirus* (Bluegill) - 15.400,0 mg/l - 96 h

NOEC - *Oryzias latipes* - 7.900 mg/l - 200 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - *Daphnia magna* (Water flea) - > 10.000,00 mg/l - 48 h

Toxicity to algae Growth inhibition

EC50 - *Scenedesmus capricornutum* (fresh water algae) - 22.000,0 mg/l - 96 h

12.2 Persistence and Degradability

Biodegradability

aerobic - Exposure time 5 d

Result: 72 % - rapidly biodegradable

Biochemical Oxygen Demand (BOD)

600 - 1.120 mg/g

Chemical Oxygen Demand (COD)

1.420 mg/g

Theoretical oxygen demand

1.500 mg/g

12.3 Bioaccumulative potential

Bioaccumulation

Cyprinus carpio (Carp) - 72 d at 20 °C - 5 mg/l B

bioconcentration factor (BCF): 1,0

12.4 Mobility in soil

Will not adsorb on soil.



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological information

Avoid release to the environment.

Stability in water

at 19 °C 83 - 91 % - 72 h

Remarks: Hydrolyses on contact with water. Hydrolyses readily.

13. Disposal considerations

13.1 Information on disposal

Product

Dispose in accordance with federal, state and local environmental control regulations.

Packing

Empty containers should be taken for local recycling, recovery or waste disposal.

14. Transport information

14.1 UN Number

ADR/RID, IMDG, IATA: Mixture not dangerous

14.2 Proper shipping name:

ADR/RID, IMDG, IATA: DMSO solution

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA: N/A

14.4 Packing group

ADR/RID, IMDG, IATA: N/A

14.5 Environmental hazard

Marine pollutant: no

14.6 Other transport information

ADR/IATA: N/A



M.M.C. International B.V.

SDS – Material Safety Data Sheet

According to 1907/2012/EG

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Directives 67/548/EEC and 1999/45/EC (including amendments)

EU Regulation (EC) No.1907/2006 (REACH)

15.2 Chemical Safety assessment

A Chemical Safety Assessment has been carried out for this mixture

16. Other information

16.1 Risks

Using this product under normal, properly instructed procedures should not be hazardous.

16.2 Further Information

The information above is believed to be accurate and represents the best information currently available to us but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.